# Eclipse IDE Keybindings

## General

| | | |
|---|---|---|
| Ctrl+3 | ⌘+3 | Go to quick access search for available views, actions, wizards, menus and more |
| Alt+⇧+Q Q | ⌥+⌘+Q Q | Show all available views and select one or more to open |
| Ctrl+F | ⌘+F | Find/replace in the current file |
| Ctrl+H | ⌘+H | Find/replace in current file, project, or workspace |

## Navigate and understand your code

| | | |
|---|---|---|
| F2 | F2 | Show Javadoc for the selected element |
| F3 **or** Ctrl+Left click | F3 **or** ⌘+Left click | In a code editor, go to the declaration of the selected symbol |
| F4 | F4 | Show selected symbol in the "Type Hierarchy" view |

## Search your code

| | | |
|---|---|---|
| Ctrl+⇧+R | ⌘+⇧+R | Open dialog to search resources (e.g. text files) by filename |
| Ctrl+⇧+T | ⌘+⇧+T | Open dialog to search for a type (class, interface, enum) |
| Ctrl+Alt+H | ^+⌥+H | Open selected callable symbol in the "Call Hierarchy" view |
| Ctrl+⇧+G | ⇧+⌘+G | Search workspace for all references to the symbol |
| Ctrl+L | ⌘+L | Go to a line number |
| Ctrl+. | ⌘+. | Jump to next occurrence, warning or error |
| Ctrl+, | ⇧+⌘+. | Jump to previous occurrence, warning or error |

## Select your code

| | | |
|---|---|---|
| Alt+Shift+↑ | ^+⇧+↑ | Expand selection to containing code block |
| Alt+Shift+↓ | ^+⇧+↓ | Reduce previously expanded selection by one step |
| Alt+Shift+→ | ^+⇧+→ | Expand selection to next statement |
| Alt+Shift+← | ^+⇧+← | Expand selection to previous statement |

## Edit your code

| | | |
|---|---|---|
| Ctrl+D | ⌘+D | Delete line at cursor position |
| Alt+↑ **or** Alt+↓ | ⌥+↑ **or** ⌥+↓ | Move current line one line above or one line below |
| Ctrl++ / Ctrl+- | ⌘++ /⌘+- | Zoom in/out in text editor |
| Ctrl+Space | ⌘+Space | Open content assist dialog (based on current context) |
| Alt+⇧+A | ⌥+⌘+A | Toggle block / column selection in the current text editor |
| Alt+⇧+R | ⌥+⌘+R | Rename (variable, field, method, class...) |
| Alt+⇧+S | ⌥+⌘+S | Show advanced editing operations for current selection |
| Alt+⇧+T | ⌥+⌘+T | Show available refactoring operations for current selection |
| Ctrl+1 | ⌘+1 | Show all possible fixes for a problem (on a text element with a problem marker, or in the problem view) |
| Ctrl+⇧+C | ⌘+/ | Toggle comment on selected lines |
| Ctrl+⇧+/ | ^+⌘+/ | Add block comment |
| Ctrl+⇧+\ | ^+⌘+\ | Remove block comment |

## Build, Run and Debug your code

| | | |
|---|---|---|
| Ctrl+B | ⌘+B | Build all workspace projects |
| Ctrl+F11 | ⌘+⇧+F11 | Run last application launched |
| F11 | ⌘+F11 | Debug last application launched |
| F5 | F5 | Step into (in debug mode) |
| F6 | F6 | Step over i.e., go to next line (in debug mode) |
| F7 | F7 | Step return i.e., go back to caller (in debug mode) |
| F8 | F8 | Resume i.e., continue execution until next breakpoint (in debug mode) |
| Ctrl+⇧+I | ⌘+⇧+I | Inspect, i.e., show selected expression value (in debug mode) |